
PROTECTION FOR LIFE



2024
PRODUCT CATALOG

TABLE OF CONTENTS

4
TECHNOLOGY

10
ACTIVE 6 SERIES

16
ACTIVE 8 SERIES

26
PERFORMANCE SERIES

34
TACTICAL SERIES

44
WORKSIGHT® SERIES

52
ACTIVE 6 WORKSIGHT® SERIES

56
YOUTH FORCE® SERIES

62
APEL

68
GLOVES

74
PRODUCT DISPLAYS



SINCE 1987 A LEGACY OF PROTECTION

Inspired by a singular purpose of “building the world’s best protective eyewear”, U.S. Army Veteran Myles Freeman Sr. founded Wiley X in 1987.

Over the years, we’ve become an iconic American brand and the most trusted name for protective eyewear. Brothers Dan and Myles Jr. continue to build on their father’s legacy while leading the brand to innovate new eyewear products without compromising protection.

Today our company creates premium protective eyewear for a wide range of customers that serve, work and play in life’s harshest environments.

LENS TECHNOLOGY



AMPLIFIED VISUAL PERFORMANCE

CAPTIVATE™ is a premium lens technology meticulously engineered to filter light and elevate visual performance through enhanced colors, superior contrast , and increased clarity. When combined with industry-leading protection and durability, CAPTIVATE allows you to perform with confidence in any environment.

CAPTIVATE™ LENS BENEFITS

SHARPER DETAIL

Reveals features in your environment normally missed by the naked eye.

INCREASED CONTRAST

Improves depth perception in conditions where light and shadows distort vision.

ENHANCED COLOR

Provides color separation to make surroundings appear more vivid and vibrant.



LENS ANATOMY

CAPTIVATE™ LENS OPTIONS

GREY BASE LENSES



CAPTIVATE™ POLARIZED BLUE MIRROR
Reduces bright glare on the water.
*Light Transmission: 11%**



CAPTIVATE™ RED MIRROR / POLARIZED RED MIRROR
Improved depth perception in bright sun. Keeps colors true.
*Light Transmission: 15%**



CAPTIVATE™ GREY / POLARIZED GREY
Even contrast for everyday activities.
*Light Transmission: 13%**



CAPTIVATE™ BLACK MIRROR / POLARIZED BLACK MIRROR
Enhances detail with a natural view of colors.
*Light Transmission: 11%**

COPPER BASE LENSES



CAPTIVATE™ POLARIZED BRONZE MIRROR
Provides tint for lowlight activities.
*Light Transmission: 15%**



CAPTIVATE™ POLARIZED GREEN MIRROR
High-contrast for outdoors.
*Light Transmission: 12%**



CAPTIVATE™ POLARIZED COPPER
Vivid color for variable light conditions.
*Light Transmission: 17%**



CAPTIVATE™ TUNGSTEN MIRROR / POLARIZED TUNGSTEN MIRROR
Provides optimal vision in all lighting conditions.
*Light Transmission: 10%**

GREEN BASE LENSES



CAPTIVATE™ POLARIZED ROSE GOLD MIRROR
True color in bright sun and low-light.
*Light Transmission: 13%**



CAPTIVATE™ POLARIZED PLATINUM FLASH
Cuts glare for land and water activities.
*Light Transmission: 13%**

Polarized and Non-Polarized Captivate™ Lens Options Available

STANDARD LENS OPTIONS

LENS OPTIONS



LA™ LIGHT ADJUSTING SMOKE GREY
Photochromic lenses darken and lighten depending on brightness for maximum optical clarity.
*Light Transmission: 81% to 17% in sunlight**



SILVER FLASH / POLARIZED SILVER FLASH
Reduces Glare across all environments. Excellent for bright sunny days.
*Light Transmission: 13%**



YELLOW
Increased contrast in extremely low-light/hazy conditions.
*Light Transmission: 82%**



LIGHT RUST
Enhances contrast in medium to low-light conditions.
*Light Transmission: 52%**



VERMILLION
Best for medium to low-light conditions. Sharpens contrast and brightens targets.
*Light Transmission: 45%**



CLEAR
Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions.
*Light Transmission: 89%**

*Transmittance values are approximate within +\-3%

PROTECTION

FRAME TECHNOLOGY

Protection is not just a feature of our products, it is what defines us and sets us apart from others in the industry. Our eyewear is tested to meet national and international standards, ensuring every pair of eyewear we produce surpasses the highest ratings possible for safety and optics.

ANSI HIGH-MASS IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a 1.1 lb projectile dropped from a height of 50" to ensure your eyes are protected from unexpected blunt force impacts.

ANSI HIGH-VELOCITY IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a .25" diameter steel ball. For spectacles, the projectile must be traveling 150-160 fps and for goggles, the projectile must be traveling at 250-260 fps.

V0 BALLISTICS

All Tactical items meet the ballistic protection levels of MIL-PRF-32432A; .15 V0 700-725fps for spectacle and .22 580-590 for goggles. Wiley X tactical models that are part of the Authorized Protective Eyewear List (APEL) are tested to the Alpha version of the V0 ballistics standard with a spectacle frame and lens being impacted with a .15 caliber projectile traveling 700-725 fps, or a goggle frame and lens with a .22 caliber projectile traveling 580-590 fps. Both tests are meant to simulate shrapnel encountered on the battlefield.

YOUTH FORCE® ASTM F803 STANDARD

All Youth Force™ Sports Protective Eyewear models are tested to ensure that they meet the ASTM F803 standards. To pass the High-Velocity Impact Resistance Test, the eyewear must withstand projectiles sized from 40 mm to 65.1 mm fired at a 90mph. Youth Force™ styles are suitable for Soccer, Basketball, Racquetball, Squash, Badminton, Paddle Ball, Tennis and Handball.

ANSI FRAME AND LENS MARKINGS EXPLAINED

Our frames and lenses include several markings that indicate specific safety ratings as determined by the American National Standards Institute (ANSI). This guarantees your Wiley x eyewear has been put through rigorous testing to ensure they'll protect your eyes from a projectile or other foreign.



- Z87** Designation of the standard.
- 2** The frames can be fitted with a prescription lens, which is the case with most Wiley X styles.
- +** The eyewear frame and lenses have been tested to the high-velocity and high-mass impact requirements of ANSI Z87.1+ safety standards.
- S** The lens is a filter or a shaded lens (not clear).
- V** The lens is variable-tint photochromic (light adjusting).

In order to meet the demands of harsh environments and ensure optimal performance, many of our products are designed with additional performance features. These features are specifically tailored to withstand extreme conditions and provide enhanced functionality in any environment.

CLICK A.I.R. (AIR INTAKE REGULATOR) GASKETS

CLICK A.I.R. Gaskets are designed to shield your eyes from harmful debris, while allowing you the freedom to customize airflow through the gasket to prevent fogging. Push down on the top of the gasket above the nose bridge to open and increase airflow. Click again to lock it down for activities where additional airflow isn't needed. Available with the WX Ozone.

DYNAMIC VENTILATION

Our Dynamic Ventilation system works with the Removable Facial Cavity™ seal, allowing you to control airflow and reduce fogging. Side vents open to allow air to flow in and behind the lenses to clear condensation. Close the side vents to stop airflow. This technology is currently available with the WX Breach.

REMOVABLE FACIAL CAVITY™ SEALS

Fine dust and pollen, as well as wind, can cause long-term eye irritation, such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity. Wiley X's removable soft foam Facial Cavity™ Seals block out even the finest irritants and peripheral light, protecting the eyes and allowing polarized lenses to perform at peak levels. Included with all Climate Control models.

ANSI Z87.1+ SIDE SHIELDS

All Active 6 and Worksight models come with removable and permanent side shield options to meet ANSI Z87.1+ compliance

SUSTAINABLE FRAME MATERIALS

Our latest frame styles are made of bio-based raw materials that are lightweight, flexible, resistant to heat, UV resistant, and BPA-free. All performance characteristics make this material a superior, sustainable choice for fit, function, and performance while providing the impact protection we require for all of our products.

WILEY X AUTHENTIC PRESCRIPTIONS

As a company that specializes in high-wrap sport and safety eyewear, it’s imperative that we provide the same clarity and protection to prescription-lens wearers as we do to those without prescription requirements. We’ve spent decades innovating and refining our technology to ensure that every pair of prescription glasses we build inspires confidence in everyone who wears them.

THE WILEY X DIFFERENCE

Through the Wiley X Authentic Prescription Program, we’re able to provide our customers with:

- The highest Rx ranges in the industry for safety and sport-wrapped frames (-10/+6 in our Active 6 series and up to -7/+5 in most wrapped styles).
- Precise prescriptions for high-wrap frames.
- CAPTIVATE™ color enhancing lens technology.
- A full service lab with an in-house coating facility.
- A dedicated Rx support team.



COMPARE THE DIFFERENCE

This is a side-by-side comparison of the same Wiley X frame with an authentic Wiley X prescription versus one without. You’ll notice the other lab’s frame has splayed-out temples and a thicker lens protruding out of both sides. Ours has a thinner lens and no frame distortion, providing a more comfortable and aesthetically pleasing pair of eyewear.

ANOTHER LAB'S RX

WILEY X AUTHENTIC PRESCRIPTION



DIGIFORCE™ DIGITAL LENSES

Digiforce™ is Wiley X’s proprietary technology which takes into account frame fitting position, prescription, vertex distance, pantoscopic tilt and eye movement patterns to create the most accurate prescription possible in our high wrap frames.

BENEFITS OF DIGIFORCE™ LENSES:

- 10 times more accurate than conventional surfacing.
- Provides the patient with an exact prescription, rather than rounding to the nearest setting in conventional lenses.
- Maximizes field of view with edge-to-edge clarity.
- Wrap compensation allows us to customize a patient’s prescription specific to their lifestyle and vision needs.
- Easier patient adaptation to high-wrap frames.

LENS TREATMENTS:

- Anti-Scratch Coating
- Permanent Anti-Fog Coating
- Standard Anti-Fog Coating
- Anti-Reflective Coating
- WX Blue Anti-Reflective

LENS OPTIONS:

- Captivate™ Polarized
- Polarized
- Non-Polarized
- Photochromic

DIGITAL EDGE THINNING

Our proprietary Digiforce Digital Edge Thinning technology is offered exclusively through Wiley X and allows for a high prescription with the thinnest lens necessary to still meet safety standards.

WHY WE USE IT

Digital Edge Thinning was created to accommodate high prescriptions in wrap around sport and safety glasses while still providing an aesthetically pleasing pair of eyewear with minimal distortion.

WHAT IT LOOKS LIKE


Digital Edge Thinning mirrors the frame shape by concentrating the optics centrally. This creates a slight plano area on the outer edge of each lens.



ACTIVE 6 SERIES

OUR ACTIVE 6 SUNGLASSES OFFER THE POWER OF PRECISION WITH A FLATTER, 6-BASE LENS PROFILE THAT CAN ACCOMMODATE PRESCRIPTIONS UP TO +6 AND -10. ACTIVE 6 MODELS COME WITH PERMANENT AND REMOVABLE SIDE SHIELDS THAT EASILY SNAP INTO PLACE TO MEET THE ANSI Z87.1+ SAFETY STANDARD.

FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



POLARIZED LENSES*



UVA/UVB BLOCKING



SIDE SHIELDS



SUPER-TOUGH
FRAMES



LIGHTWEIGHT
FRAMES



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

NEW

WX FOUNDER ACTIVE 6 SERIES



AC6FND02
F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE BLACK OPS



AC6FND04
F: MATTE BLACK AND TAN
L: CAPTIVATE™ TUNGSTEN MIRROR (COPPER BASE) (NON-POLARIZED)
CAPTIVATE



AC6FND05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



AC6FND07
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE



AC6FND09
F: GLOSS CRYSTAL GREY
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE




A60FND30
F: GLOSS CRYSTAL CLEAR / BLACK
L: CLEAR



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Dual-Injected Rubber Temples
- Side Shields can be set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

NEW

WX RECON ACTIVE 6 SERIES



AC6RCN02
F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE BLACK OPS



AC6RCN05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



AC6RCN08
F: MATTE GREY
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



A60RCN30
F: CRYSTAL CLEAR GLOSS
L: CLEAR



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Dual-Injected Rubber Temples
- Side Shields can be set as Removable or Permanent (AC6RCNDSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

SPRING 2024

WX SIERRA ACTIVE 6 SERIES



AC6SRA01
F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE



AC6SRA05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



AC6SRA06
F: GLOSS BLACK
L: CAPTIVATE™ RED MIRROR (GREY BASE) (NON-POLARIZED)
CAPTIVATE



AC6SRA07
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE




AC6SRA09
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Lens Ventilation to Increase Airflow
- Dual-Injected Rubber Temples
- Side Shields Can be Set as Removable or Permanent (AC6SRASS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX ALFA ACTIVE 6 SERIES



AC6ALF02
F: MATTE BLACK
L: SMOKE GREY
CAPTIVATE BLACK OPS



AC6ALF04
F: GLOSS CRYSTAL LIGHT OLIVE
L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE)
CAPTIVATE



AC6ALF09
F: GLOSS CLEAR CRYSTAL
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE




AC6ALF18
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY
CAPTIVATE



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Wire Core Adjustable Temple Tips
- Clear ANSI Z87.1+ Removable Side Shields (AC6ALFSS)**
- Clear ANSI Z87.1+ Permanent Side Shields (AC6ALFPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX HELIX ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS



AC6HLX01
F: MATTE BLACK
L: SMOKE GREY




AC6HLX04
F: GLOSS BLACK TO CRYSTAL
L: CAPTIVATE™ POLARIZED
BRONZE MIRROR (COPPER BASE)
CAPTIVATE



AC6HLX07
F: GLOSS DEMI
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE

FIT
SMALL/MEDIUM



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
6-Base Lenses
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Clear ANSI Z87.1+ Removable Side Shields (AC6HLXSS)**
Clear ANSI Z87.1+ Permanent Side Shields (AC6HLXPSS)**

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX OVATION ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS



AC6OVN01
F: MATTE BLACK
L: SMOKE GREY




AC6OVN07
F: MATTE WOODGRAIN
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE



AC6OVN09
F: MATTE SLATE
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
6-Base Lenses
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Clear ANSI Z87.1+ Removable Side Shields(AC6OVNSS)**
Clear ANSI Z87.1+ Permanent Side Shields (AC6OVNPSS)**

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Blk Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX TREK ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS



AC6TRK02
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS



AC6TRK06
F: MATTE HAVANA BROWN
L: CAPTIVATE™ POLARIZED
COPPER
CAPTIVATE



AC6TRK07
F: GLOSS CRYSTAL LIGHT GREY
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE




AC6TRK09
F: GLOSS CRYSTAL DARK GREY
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE



AC6TRK18
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
GREY
CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
6-Base Lenses
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Clear ANSI Z87.1+ Removable Side Shields (AC6TRKSS)**
Clear ANSI Z87.1+ Permanent Side Shields (AC6TRKPSS)**

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards




ACTIVE 8 SERIES

PUSHING BOUNDARIES AND SURPASSING LIMITS ARE WHAT OUR
ACTIVE SERIES ARE BUILT FOR – PREMIUM PROTECTION FOR
GETTING AFTER LIFE WITH CONVICTION.

FEATURES


HIGH-VELOCITY
IMPACT PROTECTION


HIGH-MASS
IMPACT PROTECTION


POLARIZED LENSES*


UVA/UVB BLOCKING


PERIPHERAL
GLARE CONTROL


SPRING HINGES*


SUPER-TOUGH
FRAMES


LIGHTWEIGHT
FRAMES


SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

SPRING 2024

WX PRIME ACTIVE 8 SERIES



ACPRM01
F: MATTE BLACK
L: CAPTIVATE™ GREY
(NON-POLARIZED)
CAPTIVATE




ACPRM05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BLACK MIRROR (GREY BASE)
CAPTIVATE



ACPRM09
F: GLOSS CRYSTAL GREY
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



- FEATURES**
Non-Rx
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses
High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Dual-Injected Rubber Nose Pads
Adjustable Nose-Pads
Dual-Injected Rubber Temples

ALSO INCLUDES
Button Temple Strap (A493)
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX ASPECT ACTIVE 8 SERIES




ACASP01
F: MATTE BLACK
L: SMOKE GREY



ACASP17
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Spring Hinges

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)


SPRING 2024

WX PRIME XL ACTIVE 8 SERIES



ACPRM04XL
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
TUNGSTEN MIRROR (COPPER BASE)
CAPTIVATE

FIT
EXTRA LARGE



- FEATURES**
Non-Rx
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses
High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Dual-Injected Rubber Nose Pads
Adjustable Nose-Pads
Dual-Injected Rubber Temples

ALSO INCLUDES
Button Temple Strap (A493)
Microfiber Drawstring Bag (DN900)


ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX CENSOR ACTIVE 8 SERIES



SSCEN08
F: MATTE BLACK
L: POLARIZED SMOKE GREY
BLACK OPS MIL-SPEC

FIT
SMALL/MEDIUM



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432(6L) Safety Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)


ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX CLIMB ACTIVE 8 SERIES



ACCLM09
F: MATTE GREY
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX KINGPIN ACTIVE 8 SERIES



ACKNG07
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE




ACKNG14
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BRONZE MIRROR (COPPER BASE)
CAPTIVATE



ACKNG19
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
SMALL/MEDIUM



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Spring Hinges

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX CONTEND ACTIVE 8 SERIES



ACCNT01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC




ACCNT07
F: MATTE DEMI
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE



ACCNT09
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)


ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX NASH ACTIVE 8 SERIES



ACNAS01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
MEDIUM/LARGE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432(GL) Safety Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX OMEGA ACTIVE 8 SERIES



ACOME01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS



ACOME04
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BRONZE MIRROR (COPPER BASE)
CAPTIVATE




ACOME08
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
GREY
BLACK OPS MIL-SPEC CAPTIVATE




ACOME13
F: KRYPTEK® NEPTUNE
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE KRYPTEK



**ACOME22
JACOB WHEELER EDITION****
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE



FIT
MEDIUM/LARGE



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Dual-Injected Rubber Nose Pads

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

**Jacob Wheeler Branded Frame

On Lens: 
On Inner Temple: 

P-17 ACTIVE 8 SERIES



P-17CGM
F: GLOSS BLACK
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE



P-17R
F: BLACK CRYSTAL
L: CAPTIVATE™ POLARIZED
RED MIRROR (GREY BASE)
CAPTIVATE




P-17M
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC



P-17CB
F: GLOSS DEMI
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
SMALL/MEDIUM



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
T-Peg Strap (EH409-4)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX PEAK ACTIVE 8 SERIES



ACPEA02
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
COPPER
CAPTIVATE




ACPEA06
F: MATTE BLACK
L: SILVER FLASH (GREY BASE)



ACPEA19
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Dual-Injected Rubber Nose Pads

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)


SPRING 2024

WX PEAK XL ACTIVE 8 SERIES



ACPEA19XL
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
EXTRA LARGE



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Dual-Injected Rubber Nose Pads

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)


ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX REBEL ACTIVE 8 SERIES



ACREB01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
MEDIUM/LARGE



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - MIL-PRF-32432(GL) Safety Standards
 - 8-Base Lenses, High-Wrap Frames
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Super-Tough Triloid Nylon Frame
 - Dual-Injected Rubber Nose Pads

ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

WX TWISTED ACTIVE 8 SERIES



SSTWI01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC




SSTWI09
F: MATTE GREY
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE



SSTWI18
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
GREY
CAPTIVATE BLACK OPS

FIT
MEDIUM/LARGE



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - 8-Base Lenses, High-Wrap Frames
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Super-Tough Triloid Nylon Frame

ALSO INCLUDES
Black Zippered Clamshell Case (DN300)
Cleaning Cloth with Wiley X Logo (A427) or
CAPTIVATE™ Microfiber Bag (DN550)

Alternative Fit Models Available

SLAY ACTIVE 8 SERIES



ACSLA01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
LARGE



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - 8-Base Lenses, High-Wrap Frames
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Super-Tough Triloid Nylon Frame

ALSO INCLUDES
Black Zippered Clamshell Case (DN300)
Cleaning Cloth with Wiley X Logo (A427) or
CAPTIVATE™ Microfiber Bag (DN550)

WX WEEKENDER WOMEN'S ACTIVE 8 SERIES



ACWKN10
F: CRYSTAL BLUSH
L: CAPTIVATE™ POLARIZED
ROSE GOLD MIRROR (GREEN BASE)
CAPTIVATE

FIT
SMALL/MEDIUM



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - 8-Base Lenses, High-Wrap Frames
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Super-Tough Triloid Nylon Frame
 - Women's Specific Fit


ALSO INCLUDES
Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES
Black Zippered Case (DN800)

PERFORMANCE SERIES

WITH EXCEPTIONAL PROTECTION AGAINST ALLERGENS, DANGEROUS AIRBORNE PARTICLES, SWEAT, DEBRIS AND WEATHER, THERE ARE NO LIMITS TO WHAT YOU CAN DO. OUR PERFORMANCE SERIES BLOCKS OUT THE ELEMENTS SO YOU CAN FACE THEM WITH CONFIDENCE.

FEATURES




HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



POLARIZED LENSES*



UVA/UVB BLOCKING



PERIPHERAL
GLARE CONTROL



REMOVABLE GASKET



SUPER-TOUGH
FRAMES



LIGHTWEIGHT
FRAMES



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

AIRRAGE PERFORMANCE SERIES




692
F: GLOSS BLACK
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE



693
F: GLOSS BLACK
L: CLEAR



694
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (695G2)
T-Peg Elastic Strap (EH409-4)
Dual-Injected Rubber Temples
Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY
Facial Cavity™ Seal Thicker Version (695G2T)

WX BREACH PERFORMANCE SERIES



CCBRH01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC



CCBRH03
F: MATTE BLACK
L: CLEAR



CCBRH04
F: MATTE HICKORY BROWN
L: CAPTIVATE™ POLARIZED
BRONZE MIRROR (COPPER BASE)
CAPTIVATE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCBRHG2)
Dynamic Ventilation System
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads
Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES
Black Zippered Case (DN800L)
Cleaning Cloth with Wiley X Logo (A428)

WX BOSS PERFORMANCE SERIES




CCBOS03
F: MATTE BLACK
L: CLEAR



CCBOS03D
F: MATTE BLACK
L: SMOKE GREY WITH RX RIM
RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)



CCBOS06
F: MATTE BLACK
L: SILVER FLASH (GREY BASE)



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCBOSG2)
T-Peg Elastic Strap (EH409-4)
Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY
Facial Cavity™ Seal Thicker Version (695G2T)



CCBOS09
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

BRICK PERFORMANCE SERIES




855
F: CRYSTAL METALLIC
L: SILVER FLASH (GREY BASE)



858
F: MATTE BLACK
L: CLEAR



859
F: MATTE BLACK
L: LIGHT ADJUSTING SMOKE GREY



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (855G2W)
T-Peg Elastic Strap (EH409-4)
Dual-Injected Rubber Temples
Anti-Fog

ALSO INCLUDES
Black Zippered Case (DN800)

SOLD SEPARATELY
Facial Cavity™ Seal Thicker Version (855G2T)

WX ENZO PERFORMANCE SERIES




CCENZ01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC



CCENZ03
F: MATTE BLACK
L: CLEAR



CCENZ03D
F: MATTE BLACK
L: SMOKE GREY WITH RX RIM
RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCENZG2)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads
Anti-Fog

- ALSO INCLUDES**
Button Temple Tip Strap (A493)
Black Zippered Case (DN800)
Cleaning Cloth with Wiley X Logo (A427)

- SOLD SEPARATELY**
Facial Cavity™ Seal Thicker Version (CCENZG2T)

WX GRAVITY PERFORMANCE SERIES



CCGRA01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC



CCGRA03
F: MATTE BLACK
L: CLEAR
BLACK OPS MIL-SPEC



CCGRA19
F: BLACK CRYSTAL
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE



CCGRA05
F: MATTE BLACK
L: LIGHT ADJUSTING SMOKE GREY
BLACK OPS MIL-SPEC



CCGRA12
F: KRYPTEK® NEPTUNE
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE KRYPTEK



CCGRA01D
F: MATTE BLACK
L: SMOKE GREY WITH RX RIM
RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCGRAG2)
T-Peg Strap (EH409-4)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads
Anti-Fog (Non-Polarized Lenses Only)

- ALSO INCLUDES**
Black Zippered Case (DN800L)
Cleaning Cloth with Wiley X Logo (A428)

- SOLD SEPARATELY**
Facial Cavity™ Seal Thicker Version (CCGRAG2T)

WX GRID PERFORMANCE SERIES



CCGRD01
F: MATTE BLACK
L: GREY




CCGRD03
F: MATTE BLACK
L: CLEAR



CCGRD07
F: MATTE COOL GREY
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE



CCGRD08
F: MATTE UTILITY GREEN
L: CAPTIVATE™ POLARIZED GREY
CAPTIVATE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCGRDG2)
T-Peg Elastic Strap (EH409-4)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads
Anti-Fog (Non-Polarized Lenses Only)

- ALSO INCLUDES**
Black Zippered Case (DN800L)
Cleaning Cloth with Wiley X Logo (A428)



WX OZONE PERFORMANCE SERIES



CCOZN03
F: MATTE BLACK
L: CLEAR



CCOZN06
F: MATTE CHARCOAL TO GREY FADE
L: SILVER FLASH (GREY BASE)



CCOZN08
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
GREY
CAPTIVATE **BLACK OPS**



CCOZN09
F: MATTE GREY
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES

Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
CLICK A.I.R. Gasket (CCOZNCAG)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads
Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Button Temple Tip Strap (A493)
Black Zippered Case (DN800)
Cleaning Cloth with Wiley X Logo (A428)

WX SLEEK PERFORMANCE SERIES



CCSLE01
F: MATTE VIOLET
L: SILVER FLASH (GREY BASE)




CCSLE02
F: MATTE BLACK
L: SMOKE GREY



CCSLE03
F: MATTE BLACK
L: CLEAR

FIT
SMALL



FEATURES

Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCSLEG2)
Anti-Fog

ALSO INCLUDES

Black Zippered Case (DN800)
Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY



Facial Cavity™ Seal Thicker Version (CCSLEG2T)



TACTICAL SERIES

BUILT TO ADAPT TO YOUR EVER-CHANGING ENVIRONMENT, OUR
CHANGEABLE SERIES PROVIDES EXCEPTIONAL PROTECTION AND
VISIBILITY IN ANY CONDITION.

FEATURES



*AVAILABLE ON SELECT MODELS

GUARD ADVANCED TACTICAL SERIES




4004
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



4006
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC

FIT
MEDIUM/LARGE



- FEATURES**
Non-Rx
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432(GL) Safety Standard
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Interchangeable Lenses
Dual-Injected Rubber Nose Pads
Dual-Injected Rubber Temples

- ALSO INCLUDES**
Button Temple Strap (4006E)
Zipper Case 2 Lens Pack (TS-235M)
Cleaning Cloth with Wiley X Logo (A428)

ROMER 3 TACTICAL SERIES




1004
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



1006
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC

FIT
MEDIUM/LARGE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Safety Standard
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Foil™ Anti-Fog Lenses
Super-Tough Triloid Nylon Frame
Interchangeable Lenses
Dual-Injected Rubber Nose Pads

- ALSO INCLUDES**
WX Hard Shell Case (DN750)
Cleaning Cloth with Wiley X Logo (A428)

SABER ADVANCED TACTICAL SERIES



300
F: MATTE BLACK
L: YELLOW
MIL-SPEC



302/302RX
F: MATTE BLACK
L: SMOKE GREY
MIL-SPEC



303/303RX
F: MATTE BLACK
L: CLEAR
MIL-SPEC



307/307RX
F: 2 MATTE BLACK FRAMES
L: SMOKE GREY / CLEAR
MIL-SPEC



308/308RX
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



308T
F: MATTE TAN
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



309/309RX
F: MATTE BLACK
L: SMOKE GREY / LIGHT RUST / VERMILLION
MIL-SPEC



315/315RX
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
UNIVERSAL



- FEATURES**
Rx Insert* — Size 44 / 25 (PTX)
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432(GL) Safety Standard
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Interchangeable Lenses
Adjustable Nose Piece
Saber Advanced Adjustable Strap (306E)
Converts Glasses to Goggle

- ALSO INCLUDES**
Zipper Case (TS-235M) Styles: 308, 309, 315
Microfiber Drawstring Bag (DN900) Styles: 300, 302, 303
Cleaning Cloth with Wiley X Logo (A428)
Black Zippered Clamshell Case (DN610A) Style: 307

*Requires Rx Insert for all Prescription Orders



WX SAINT TACTICAL SERIES




CHSA107
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



CHSA108
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
SMALL/MEDIUM



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - MIL-PRF-32432(GL) Safety Standard
 - 8-Base Lenses, High-Wrap Frames
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Super-Tough Triloid Nylon Frame
 - Interchangeable Lenses
 - Dual-Injected Rubber Nose Pads
 - Dual-Injected Rubber Temples

- ALSO INCLUDES**
- Black Zippered Case (DN800)
 - Zipper Case 2 Lens Pack (TS-235M)
 - Cleaning Cloth with Wiley X Logo (A428)

Alternative Fit Models Available

WX VAPOR TACTICAL SERIES



3501 / 3501RX
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



3502 / 3502RX
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



3552 / 3552RX COMM**
F: MATTE BLACK COMM
TEMPLES
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC COMM TEMPLES

FIT
UNIVERSAL



- FEATURES**
- Rx Insert
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - MIL-PRF-32432A Safety Standard
 - 8-Base Lenses, High-Wrap Frames
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Foil™ Anti-Fog Lenses
 - Super-Tough Triloid Nylon Frame
 - Interchangeable Lenses
 - Adjustable Nose Piece
 - Dual-Injected Rubber Temples

- ALSO INCLUDES**
- Zipper Case 2 and 3 Lens Pack (TS-235M)
 - Cleaning Cloth with Wiley X Logo (A428)

**WX Vapor Comm has Thin Temples
Compatible with Hearing Protection

WX VALOR TACTICAL SERIES



CHVAL01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC



CHVAL06
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



CHVAL06T
F: MATTE TAN
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



CHVAL07
F: MATTE BLACK
L: SMOKE GREY / CLEAR
BLACK OPS



CHVAL08
F: MATTE BLACK
L: POLARIZED SMOKE GREY
BLACK OPS MIL-SPEC

FIT
MEDIUM



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - MIL-PRF-32432A Safety Standard
 - 8-Base Lenses, High-Wrap Frames
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Foil™ Anti-Fog Lenses
 - Super-Tough Triloid Nylon Frame
 - Interchangeable Lenses
 - Dual-Injected Rubber Nose Pads
 - Dual-Injected Rubber Temples

- ALSO INCLUDES**
- Black Zippered Clamshell Case (DN300)
 - Zippered Case 2 and 3 Lens Pack (TS-235M)
 - Cleaning Cloth with Wiley X Logo (A428)

XL-1 ADVANCED TACTICAL SERIES



291
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
MEDIUM/LARGE



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - MIL-PRF-32432A Safety Standard
 - 8-Base Lenses, High-Wrap Frames
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Foil™ Anti-Fog Lenses
 - Super-Tough Triloid Nylon Frame
 - Interchangeable Lenses
 - Removable Facial Cavity™ Seal (XLG)
 - T-Peg Strap (XLE)
 - Dual-Injected Rubber Nose Pads
 - Dual-Injected Rubber Temples

- ALSO INCLUDES**
- WX Tactical Case (DN750)
 - Cleaning Cloth with Wiley X Logo (A428)

FALL 2024

WX CYBOR TACTICAL SERIES



7201
F: MATTE BLACK
L: SMOKE GREY /
CLEAR
MIL-SPEC



7202
F: MATTE BLACK
L: SMOKE GREY /
CLEAR / LIGHT RUST
MIL-SPEC



7101T
F: MATTE TAN
L: SMOKE GREY /
CLEAR
MIL-SPEC



7102T
F: MATTE TAN
L: SMOKE GREY /
CLEAR / LIGHT RUST
MIL-SPEC



FIT
ADJUSTABLE

FEATURES
Rx Insert Twistlock TLRX* — Size 42/24
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Anti-Fog Lenses
Dynamic / Adjustable Vent Control
Super-Tough Alloy Polymer Frame Components
Interchangeable Ballistic Lenses
Interchangeable Face Gaskets
Interchangeable Strap Configurations

ALSO INCLUDES
2 Layer Foam Gasket (7201FCS)
25 mm Fire Resistant Strap (7201EB) Black,
(7201ET) Tan
Cybor Goggle Sleeve

FALL 2024

WX LYNX TACTICAL SERIES



1501
F: MATTE BLACK
L: SMOKE GREY /
CLEAR
MIL-SPEC



1502
F: MATTE BLACK
L: SMOKE GREY /
CLEAR / LIGHT RUST
MIL-SPEC



FIT
ADJUSTABLE

FEATURES
Non-Rx
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Proprietary Channel Venting
Anti-Fog Lenses
Super-Tough Triloid Nylon Frame
Interchangeable Ballistic Lenses
Interchangeable Strap Configurations
Replaceable Gaskets
Lightweight Foldable Frame

ALSO INCLUDES
25mm Fire Resistant Strap (Velcro)
25mm Fire Resistant Strap (Dual Buckle)
Custom Case (DN150)
Cleaning Cloth (A428)

FALL 2024

WX CYBOR THERMAL TACTICAL SERIES



72010L
F: MATTE BLACK
L: SMOKE GREY /
CLEAR
MIL-SPEC



7102DLT
F: MATTE TAN
L: SMOKE GREY /
CLEAR
MIL-SPEC



7202DLW
F: MATTE WHITE
L: SMOKE GREY /
CLEAR / CONTRAST
MIL-SPEC



FIT
ADJUSTABLE

FEATURES
Rx Insert Twistlock TLRX* — Size 42/24
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Anti-Fog Lenses
Dynamic / Adjustable Vent Control
Super-Tough Alloy Polymer Frame Components
Interchangeable Lenses
Interchangeable Face Gaskets
Interchangeable Strap Configurations

ALSO INCLUDES
Thermal/Cold Environment 3 Layer Foam
Removable Gasket (7201FCSTH)
40mm Fire Resistant Strap (7201EBL) Black,
(7201ETL) Tan, (7202EWL) White




SG-1 TACTICAL SERIES



71
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

SG-1 WITH TEMPLES

FIT
ADJUSTABLE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Replaceable Gaskets

ALSO INCLUDES

- WX Hard Shell Case (DN700S)
- Removable Temples (SG-1T)
- SG-1 Elastic Strap (SG-1E)
- SG-1 Beaded Tactical Strap (258A)

Alternative Fit Models Available

SPEAR TACTICAL SERIES



SP293B / SP293BRX
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC

SP293T / SP293TRX
F: TAN 499
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC

SP29B / SP29BRX
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

SP29T / SP29TRX
F: TAN 499
L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
ADJUSTABLE

FEATURES

- Rx Insert Twistlock TLRX* — Size 42/24
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- Anti-Fog
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Universal Prescription Lens Compatible (UPLC)

ALSO INCLUDES

- Spear Goggle Sleeve (SP29SLB) Black
- Spear Goggle Sleeve (SP29SLT) Tan
- Spear Goggle Bag (AN571) Black
- Spear Goggle Strap (SP29EB) Black, (SP29ET) Tan
- Spear Facial Cavity™ Seal (SP29FCS)


*Requires Rx Insert for all Prescription Orders



WORKSIGHT® SERIES

DESIGNED AND BUILT FOR VERSATILITY, OUR WORKSIGHT® FRAMES
WITH REMOVABLE AND PERMANENT SIDE SHIELDS PROVIDE JOB SITE
PROTECTION WITH EVERYDAY WEARABILITY.

FEATURES




HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



LIGHTWEIGHT
FRAMES



UVA/UVB BLOCKING



SIDE SHIELDS



SPRING HINGES



SUPER-TOUGH
FRAMES



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

FALL 2024

WX HARMONY WORKSIGHT®



REMOVABLE SIDE SHIELDS




WSHRM01
F: MATTE NAVY BLUE W/
BLACK TEMPLES
L: CLEAR



WSHRM02
F: MATTE ACETATE W/
BLACK TEMPLES
L: CLEAR

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon and Metal Frames
- Removable Side Shields (WSHRMSS)**
- Permanent Side Shields (WSHRMPSS)**
- Spring Hinges

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX AXIS WORKSIGHT®



REMOVABLE SIDE SHIELDS




WSAXI01
F: DARK GUNMETAL WITH MATTE
UTILITY GREEN TEMPLES
L: CLEAR



WSAXI03
F: MATTE SILVER WITH GLOSS
BLACK TEMPLES
L: CLEAR

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon and Metal Frames
- Removable Side Shields (WSAXISS)**
- Permanent Side Shields (WSAXIPSS)**
- Spring Hinges

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

FALL 2024

WX TIG WORKSIGHT®



REMOVABLE SIDE SHIELDS




WSTIG01
F: MATTE NAVY BLUE
W/ METAL FLAKE
L: CLEAR



WSTIG02
F: MATTE DARK GUNMETAL
L: CLEAR

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon and Metal Frames
- Removable Side Shields (WSTIGSS)**
- Permanent Side Shields (WSTIGPSS)**
- Spring Hinges

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX CHASE WORKSIGHT®



REMOVABLE SIDE SHIELDS




WSCHS01
F: MATTE BLACK WITH
MATTE BLACK TEMPLES
L: CLEAR



WSCHS03
F: MATTE BLUE WITH GLOSS
DEMI TEMPLES
L: CLEAR

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon and Metal Frames
- Removable Side Shields (WSCHSSS)**
- Permanent Side Shields (WSCHSPSS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX CONTOUR WORKSIGHT®




WSCON01
F: MATTE BLACK
L: CLEAR



WSCON05
F: GLOSS BLACK TO BROWN STRIPE
L: CLEAR

FIT
SMALL/MEDIUM



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Removable Side Shields (WSCONSS)**
Permanent Side Shields (WCONPSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX FUSION WORKSIGHT®




WSFSN01
F: MATTE BLACK WITH GUNMETAL TEMPLES
L: CLEAR



WSFSN05
F: MATTE SILVER / GLOSS CLEAR CRYSTAL
L: CLEAR

FIT
SMALL/MEDIUM



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon and Metal Frames
Removable Side Shields (WSFSNSS)**
Permanent Side Shields (WSFSNPSS)**
Spring Hinges

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX EPIC WORKSIGHT®



WSEPC01
F: MATTE BLACK
L: CLEAR




WSEPC03
F: MATTE CRYSTAL DARK GREY
L: CLEAR



WSEPC04
F: MATTE HICKORY BROWN
L: CLEAR

FIT
MEDIUM



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Side Shields Can be Set as Removable or Permanent (WSEPCSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX JUDGE WORKSIGHT®



WSJDG01
F: MATTE BLACK
L: CLEAR




WSJDG03
F: GLOSS BLACK TO CLEAR FADE
L: CLEAR



WSJDG04
F: GLOSS BROWN TO CLEAR FADE / BROWN DEMI TEMPLE
L: CLEAR

FIT
MEDIUM/LARGE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Removable Side Shields (WSJDGSS)**
Permanent Side Shields (WSJDGPSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX PROFILE WORKSIGHT®




WSPRF01
F: MATTE BLACK
L: CLEAR



WSPRF06
F: GLOSS CRYSTAL LIGHT GREY
L: CLEAR

FIT
SMALL/MEDIUM



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Removable Side Shields (WSPRFSS)**
Permanent Side Shields (WSPRFPSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX SERENITY WORKSIGHT®



WSSRN04
F: GLOSS BROWN DEMI / CHAMPAGNE TEMPLE INTERIOR
L: CLEAR

FIT
SMALL



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon and Metal Frames
Removable Side Shields (WSSRNSS)**
Permanent Side Shields (WSSRNPSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

NEW

WX SPECTRE WORKSIGHT®



WSSPT01
F: MATTE BLACK
L: CLEAR



WSSPT02
F: GLOSS CRYSTAL GREY / BLACK
L: CLEAR

FIT
MEDIUM



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Removable Side Shields (WSPRFSS)**
Permanent Side Shields (WSPRFPSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)


**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX VIRTUE WORKSIGHT®



WSVRT05
F: GLOSS MIDNIGHT BLUE / LILAC DEMI TEMPLE INTERIOR
L: CLEAR

FIT
SMALL



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Removable Side Shields (WSVRTSS)**
Permanent Side Shields (WSVRTPSS)**


ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

ACTIVE 6 WORKSIGHT® SERIES

ACTIVE 6 WORKSIGHT MODELS OFFER A 6-BASE LENS PROFILE THAT IS BUILT TO ACCOMMODATE PRESCRIPTIONS UP TO +6 AND -10. EVERY MODEL COMES WITH PERMANENT AND REMOVABLE SIDE SHIELDS THAT EASILY SNAP INTO PLACE TO MEET ANSI Z87.1+ SAFETY STANDARDS.

FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



LIGHTWEIGHT
FRAMES



UVA/UVB BLOCKING



SIDE SHIELDS



SUPER-TOUGH
FRAMES



SHATTERPROOF
LENSES


NEW
WX FOUNDER ACTIVE 6 WORKSIGHT SERIES



A60FND30
F: POLISHED CRYSTAL CLEAR/
POLISHED BLACK
L: CLEAR



REMOVABLE SIDE
SHIELDS



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
6-Base Lenses
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Dual-Injected Rubber Temples
Side Shields Can be Set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Active 6
Worksight® Models Meet ANSI Z87.1+
Safety Standards

WX HELIX ACTIVE 6 WORKSIGHT SERIES



A60HLX31
F: GLOSS CRYSTAL LIGHT GREY
L: CLEAR




A60HLX32
F: MATTE HAVANA BROWN
L: CLEAR



A60HLX33
F: GLOSS CRYSTAL CLEAR
W/ GLOSS BLACK TEMPLES
L: CLEAR



REMOVABLE SIDE
SHIELDS



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
6-Base Lenses
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Clear ANSI Z87.1+ Removable Side Shields (AC6HLXSS)**
Clear ANSI Z87.1+ Permanent Side Shields (AC6HLPSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Active 6
Worksight® Models Meet ANSI Z87.1+
Safety Standards


NEW
WX RECON ACTIVE 6 WORKSIGHT SERIES



A60RCN30
F: CRYSTAL CLEAR
L: CLEAR



REMOVABLE SIDE
SHIELDS



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
6-Base Lenses
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Dual-Injected Rubber Temples
Side Shields Can be Set as Removable or Permanent (AC6RCNSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Active 6
Worksight® Models Meet ANSI Z87.1+
Safety Standards

WX OVATION ACTIVE 6 WORKSIGHT SERIES



A60OVN31
F: GLOSS BLACK TO GREY FADE
W/ GREY TEMPLES
L: CLEAR




A60OVN32
F: GLOSS RICH TORTOISE
W/ GLOSS BLACK TEMPLES
L: CLEAR



A60OVN33
F: GLOSS CRYSTAL GREY
W/ GLOSS BLUE TEMPLES
L: CLEAR



REMOVABLE SIDE
SHIELDS



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
6-Base Lenses
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Clear ANSI Z87.1+ Removable Side Shields (AC6OVNSS)**
Clear ANSI Z87.1+ Permanent Side Shields (AC6OVNPSS)**


ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Active 6
Worksight® Models Meet ANSI Z87.1+
Safety Standards

YOUTH FORCE® SPORT SERIES

OUR YOUTH FORCE® SPORT SERIES MEETS THE HIGHEST ASTM F803
STANDARDS FOR SAFETY AND CLARITY, WITH THE FIT AND DURABILITY
TO WITHSTAND THE RIGORS OF YOUTH SPORTS.

FEATURES



UVA/UVB BLOCKING



LIGHTWEIGHT
FRAMES



SUPER-TOUGH
FRAMES



SHATTERPROOF
LENSES

WX AGILE YOUTH FORCE® SPORT


GOGGLE STRAP



YFGIL01
F: MATTE BLACK
L: CLEAR



YFGIL03
F: MATTE NAVY BLUE
L: CLEAR

FIT
MEDIUM**FEATURES**

Rx Ready
ASTM F803-Rated Protection
6-Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)
Youth Force® Goggle Strap Regular (YF2001)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Replaceable Nose Piece
Youth Force® Goggle Strap Small (YF2002)
Youth Force® Drawstring Microfiber Bag (YF2030)

WX FLASH YOUTH FORCE® SPORT


GOGGLE STRAP



YFFLA01
F: ROCK CANDY PINK
L: CLEAR



YFFLA04
F: MATTE BLACK AND
ELECTRIC BLUE LIGHTNING
L: CLEAR

FIT
SMALL**FEATURES**

Rx Ready
ASTM F803-Rated Protection
6-Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)
Youth Force® Goggle Strap Regular (YF2001)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFFLAS)
Youth Force® Goggle Strap Small (YF2002)
Youth Force® Button Strap Small (YF2060)
Youth Force® Drawstring Microfiber Bag (YF2030)

WX FIERCE YOUTH FORCE® SPORT


GOGGLE STRAP



YFFIE01
F: MATTE BLUE INDIGO AND GREY
L: CLEAR



YFFIE03
F: PLUM
L: CLEAR

FIT
MEDIUM**FEATURES**

Rx Ready
ASTM F803-Rated Protection
6-Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)
Youth Force® Goggle Strap Regular (YF2001)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFFIES)
Youth Force® Goggle Strap Small (YF2002)
Youth Force® Button Strap Small (YF2060)
Youth Force® Drawstring Microfiber Bag (YF2030)



WX GAMER YOUTH FORCE® SPORT



GOGGLE STRAP


YFGAM01

F: MATTE BLACK
AND DARK SILVER
L: CLEAR


YFGAM02

F: GLOSS BLACK
AND METALLIC BLUE
L: CLEAR



YFGAM03

F: RED
L: CLEAR


YFGAM04

F: MATTE GREY / GLOSS ORANGE
L: CLEAR

FIT
MEDIUM/LARGE


FEATURES

Rx Ready
ASTM F803-Rated Protection
6-Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)
Youth Force® Goggle Strap Regular (YF2001)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFGAMS)
Youth Force® Goggle Strap Small (YF2002)
Youth Force® Button Strap Small (YF2060)
Youth Force® Drawstring Microfiber Bag (YF2030)

WX SWIFT YOUTH FORCE® SPORT


YFSWF01

F: MATTE BLACK
L: SMOKE GREY



YFSWF05

F: GLOSS WHITE
L: RED MIRROR (BROWN BASE)


YFSWF09

F: MATTE GRAPHITE
L: BLUE MIRROR (GREY BASE)

FIT
SMALL


FEATURES

Rx Ready
ASTM F803-Rated Protection
Light Weight
8-Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames

ALSO INCLUDES

Youth Force® Hard Case (YF2020)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Youth Force® Drawstring Microfiber Bag (YF2030)




APEL

AUTHORIZED PROTECTIVE EYEWEAR LIST†

ALL OF OUR APEL-APPROVED EYEWEAR MEETS THE OPTICAL, ENVIRONMENTAL, AND VO BALLISTIC IMPACT REQUIREMENTS OF THE MIL-PRF-32432A PERFORMANCE SPECIFICATION: MILITARY COMBAT EYE PROTECTION SYSTEM (MCEPS). PRODUCTS TESTED TO THESE REQUIREMENTS ENSURE THEY WILL PROTECT AGAINST THE HARSHTEST OF ENVIRONMENTS AND SHRAPNEL ENCOUNTERED ON THE BATTLEFIELD.

FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



VENTILATION*



UVA/UVB BLOCKING



INTERCHANGEABLE
LENSES



REMOVABLE GASKET*



SUPER-TOUGH
FRAMES

MIL-PRF 32432A
MILITARY COMBAT
EYE PROTECTION



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

†U.S. DEPARTMENT OF DEFENSE


WX GRAVITY APEL



CH5201
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED

FIT
MEDIUM/LARGE



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
APEL-Approved Protection
Interchangeable Lenses
Foil™ Anti-Fog Lenses
8-Base Lenses, High-wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CH526)
T-Peg Strap (EH409-4)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads

ALSO INCLUDES
WX Hard Shell Case (DN7506)
Cleaning Cloth with Wiley X Logo (A425)

WX VAPOR APEL



CH3401 - SMALL FRAME
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



CH3501 - REGULAR FRAME
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



CH3601 - LARGE FRAME
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



FIT
SMALL - REGULAR - LARGE



FEATURES
Rx Insert – Universal Prescription Lens Compatible (UPLC)
ANSI Z87.1+ Impact Protection/Optical Standards
Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
APEL-Approved Protection
Interchangeable Lenses
Foil™ Anti-Fog Lenses
UVA/UVB Light Blocking
Shatterproof Selenite Lenses
Super-Tough Triloid Nylon Frame

ALSO INCLUDES
APEL Case (DN700) CH3401, CH3501 and (DN700L) CH3601
Cleaning Cloth with Wiley X Logo (A425)
Fogtech Anti-Fog Reapplication Wipe (F06)

SOLD SEPARATELY
Vapor Gasket (CH356)
Leash Cord with Rubber Grips (A492B)


WX VALOR APEL



CH4701
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED

FIT
MEDIUM



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
APEL-Approved Protection
Interchangeable Lenses
Foil™ Anti-Fog Lenses
UVA/UVB Light Blocking
Shatterproof Selenite Lenses
Super-Tough Triloid Nylon Frame

ALSO INCLUDES
APEL Case (DN750)
Cleaning Cloth with Wiley X Logo (A425)
Fogtech Anti-Fog Reapplication Wipe (F06)



SPEAR APEL



SP30T
F: TAN 499
L: SMOKE GREY / CLEAR
MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



FIT
ADJUSTING

- FEATURES**
- Rx Insert – Universal Prescription Lens Compatible (UPLC)
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
 - APEL-Approved Protection
 - Interchangeable Lenses
 - Foil™ Anti-Fog Lenses
 - UVA/UVB Light Blocking
 - Shatterproof Selenite Lenses
 - Super-Tough Triloid Nylon Frame
 - Top Down™ Ventilation

- ALSO INCLUDES**
- Spear Goggle Sleeve (SP29SLT) Tan
 - Spear Goggle Bag (AN571) Black
 - Spear Goggle Strap (SP29ET) Tan
 - Spear Facial Cavity™ Seal (SP29FCS)
 - Fogtech Anti-Fog Reapplication Wipe (F0G)

SPEAR THERMAL APEL



SP30DLT
F: TAN 499
L: SMOKE GREY / CLEAR
MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



FIT
ADJUSTING

- FEATURES**
- Rx Insert – Universal Prescription Lens Compatible (UPLC)
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
 - APEL-Approved Protection
 - Interchangeable Lenses
 - Foil™ Anti-Fog Lenses
 - UVA/UVB Light Blocking
 - Shatterproof Selenite Lenses
 - Super-Tough Triloid Nylon Frame
 - Dual Lens
 - Top Down™ Ventilation

- ALSO INCLUDES**
- Spear Goggle Sleeve (SP29SLT) Tan
 - Spear Goggle Bag (AN571) Black
 - Spear Goggle Strap (SP29ET) Tan
 - Spear Facial Cavity™ Seal (SP29FCS)
 - Fogtech Anti-Fog Reapplication Wipe (F0G)





TACTICAL GLOVES

WILEY X TACTICAL SERIES GLOVES ARE DESIGNED FOR SUPERIOR PROTECTION AND PERFORMANCE. WE OFFER EQUIPMENT OPTIONS TO MEET YOUR CRITICAL RESPONSE OBJECTIVES, FROM MILITARY COMBAT, TACTICAL RESPONSE, FIELD OPERATIONS, OR EMERGENCY FIRST RESPONDING. OUR GLOVES ARE DESIGNED TO MAINTAIN HIGH DEXTERITY FOR QUICK, PRECISE RESPONSES, WITH EXTRA SUPPORT IN HIGH WEAR AREAS FOR ADDED DURABILITY AND LONGEVITY. SELECT STYLES FEATURE TOUCH SCREEN CAPABILITY, HARD KNUCKLE, CUT, ABRASION, AND FR FLAME RESISTANCE.

APX TACTICAL GLOVE



BLACK

G450.SM	SM
G450.ME	MD
G450.LA	LG
G450.XL	XL
G450.2X	XXL



FEATURES

- Synthetic Leather Knuckle and Palm for Maximum Durability/Breathability
- Reinforced Thumb and Palm Patch in High-Wear Areas
- Moisture Wicking Heavy-Duty Lycra® Gussets
- Ventilated Fingers for Increased Airflow and Breathability
- Clip-Strap for Easy Storage and Portability

CAG-1 TACTICAL GLOVE



MADE IN U.S.A.

(U230SM-2X, U231SM-2X, U232SM-2X)

FEATURES

- Treated Goatskin Leather for Durability
- Injection Molded Knuckle Protector
- 100% Nomex Knit
- Flame and Abrasion Resistant
- Leather Reinforced in High-Wear Areas
- Custom Designed to Match U.S. Military Uniforms
- Meets Military Flame Resistance Requirement
- Thermal and Cut Resistant
- *Touchtec Touchscreen Compatible

ARIES TACTICAL GLOVE



MADE IN U.S.A.

(U311SM-2X, U312SM-2X)

FEATURES

- Outlasts Flyers Glove 4-6 Times
- 100% Nomex Knit
- Flame Resistant
- Adjustable Cuff for Custom Fit
- Sheepskin Leather Reinforced in High-Wear Areas
- Custom Designed to Match US Military Uniforms
- Clip Strap for Easy Storage and Portability
- 3 Fingertips Removed for Added Dexterity/Sensitivity
- Navair Approved*
- U.S. Air Force Safe To Fly (STF) Approved* (USA Made versions only)

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

COYOTE BROWN

U311.SM	SM
U311.ME	MD
U311.LA	LG
U311.XL	XL
U311.2X	XXL

*MOQ - 500 Pair



FOLIAGE GREEN

U312.SM	SM
U312.ME	MD
U312.LA	LG
U312.XL	XL
U312.2X	XXL

*MOQ - 500 Pair



COYOTE BROWN

G311.SM	SM
G311.ME	MD
G311.LA	LG
G311.XL	XL
G311.2X	XXL



FOLIAGE GREEN

G312.SM	SM
G312.ME	MD
G312.LA	LG
G312.XL	XL
G312.2X	XXL



*TOUCHTEC BLACK

U230.SM	SM
U230.ME	MD
U230.LA	LG
U230.XL	XL
U230.2X	XXL

*MOQ - 500 Pair



COYOTE BROWN

U231.SM	SM
U231.ME	MD
U231.LA	LG
U231.XL	XL
U231.2X	XXL

*MOQ - 500 Pair



FOLIAGE GREEN

U232.SM	SM
U232.ME	MD
U232.LA	LG
U232.XL	XL
U232.2X	XXL

*MOQ - 500 Pair



BLACK

G230.SM	SM
G230.ME	MD
G230.LA	LG
G230.XL	XL
G230.2X	XXL



COYOTE BROWN

G231.SM	SM
G231.ME	MD
G231.LA	LG
G231.XL	XL
G231.2X	XXL



FOLIAGE GREEN

G232.SM	SM
G232.ME	MD
G232.LA	LG
G232.XL	XL
G232.2X	XXL



DURTAC TACTICAL GLOVE



- BLACK**
- G400.SM SM
 - G400.ME MD
 - G400.LA LG
 - G400.XL XL
 - G400.2X XXL



- FEATURES**
- Injection Molded Thermoplastic Knuckle and Finger Protectors
 - Ventilated Fingers and Mesh Back for Airflow/Breathability
 - Synthetic Leather Palm for Maximum Durability/Breathability
 - Moisture Wicking Heavy-Duty Lycra® Gussets
 - Neoprene Cuff for Custom Fit
 - Molded TPR Closure for Easy Grip
 - Reinforced Thumb and Palm Patch In High-Wear Areas

HYBRID TACTICAL GLOVE



- COYOTE BROWN**
- G241.SM SM
 - G241.ME MD
 - G241.LA LG
 - G241.XL XL
 - G241.2X XXL



- FOLIAGE GREEN**
- G242.SM SM
 - G242.ME MD
 - G242.LA LG
 - G242.XL XL
 - G242.2X XXL



REMOVABLE INJECTED MOLDED KNUCKLE PROTECTOR

- FEATURES**
- Removable Patent Pending Injected Molded Knuckle Protector
 - 100% Nomex Knit
 - Flame Resistant
 - Adjustable Cuff for Custom Fit
 - Goatskin Leather Reinforced in High-Wear Areas
 - Thermal and Cut Resistant

ORION TACTICAL GLOVE



NAVY AIR

MADE IN U.S.A.
(U301SM.T-2X.T, U302SM.T-2X.T)

- COYOTE BROWN**
- U301.SM.T SM
 - U301.ME.T MD
 - U301.LA.T LG
 - U301.XL.T XL
 - U301.2X.T XXL



- FOLIAGE GREEN**
- U302.SM.T SM
 - U302.ME.T MD
 - U302.LA.T LG
 - U302.XL.T XL
 - U302.2X.T XXL



- COYOTE BROWN**
- G301.SM SM
 - G301.ME MD
 - G301.LA LG
 - G301.XL XL
 - G301.2X XXL



- FOLIAGE GREEN**
- G302.SM SM
 - G302.ME MD
 - G302.LA LG
 - G302.XL XL
 - G302.2X XXL



- FEATURES**
- Outlasts Flyers Glove 4-6 Times
 - 100% Nomex Knit
 - Flame Resistant
 - Adjustable Cuff for Custom Fit
 - Sheepskin Leather Reinforced in High-Wear Areas
 - Custom Designed to Match U.S. Military Uniforms
 - Clip Strap for Easy Storage and Portability
 - Navair Approved*
 - U.S. Army Aviation Approved*
 - U.S. Air Force Safe To Fly (STF) Approved* (USA Made Versions Only)
 - Touchtec Touchscreen Compatible

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

*MOQ - 500 Pair

*MOQ - 500 Pair



PREMIER XL*
933024XL

CAPACITY: 75-100 PAIRS
DIMENSIONS: 40"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER XL DISPLAY



VIEW WX POP

PREMIER*
933024

CAPACITY: 60 PAIRS
DIMENSIONS: 28"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER DISPLAY

RACK**
933024RK

CAPACITY: 35-45 UNITS
DIMENSIONS: 16.25"W X 76"H X 9.625"D



**RACK DISPLAY CAN BE USED WITH OR WITHOUT BASE UNIT

PRODUCT WARRANTY

NON-PRESCRIPTION WILEY X, INC., EYEWEAR

A lifetime warranty covering all manufacturing defects in material and workmanship.

NON-PRESCRIPTION JOHN DEERE® AND DVX™ EYEWEAR

Warranted against defects in materials or workmanship for a maximum period of 1 year. (John Deere® warranty applies to USA and Canada only).

PHOTOCHROMIC (LIGHT ADJUSTING™) LENSES

Warranted against defects in materials or workmanship for a maximum period of 18 months (proof of purchase for Photochromic Light Adjusting™ lenses is required).

GLOVES

Warranted to be free of manufacturing defects in material or workmanship for a maximum period of 2 years.

SCOPE OF COVERAGE

Wiley X will replace covered items at the sole discretion of Wiley X, as needed and as available (identical or equivalent style) at no charge. Out of warranty items may be replaced, or destroyed, at the option and sole expense of the purchaser.

EXCLUSIONS

This product warranty and prescription warranty below does not extend to and excludes:

- a) All Wiley X products purchased through any non-authorized 3rd party websites, dealers, or labs.
- b) Damage resulting from normal wear and tear (i.e., scratched lenses).
- c) Damage resulting from abuse, misuse, tampering, customer modification, exposure to harmful substances, elements, or conditions.
- d) Lost or stolen item.

WX PRESCRIPTION WARRANTY

RX WARRANTY

Prescription orders processed through Wiley X, Inc. will have a two (2) year warranty from the date of purchase on frames and lenses deemed by Wiley X, Inc. to have manufacturing defects. Prescriptions filled by non-authorized labs will void all Wiley X, Inc. frame and lens warranties. Prescription frame and lens warranties must be handled through the local retailer / dispensing optician from which they were originally purchased.

CAPTIVATE™ RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo on CAPTIVATE lenses that covers against basic surface scratches due to normal wear, along with crazing and peeling for two (2) years from the date of purchases. Scratches caused by improper care or abuse are not covered by this warranty. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

SCRATCH/COATING RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo for lenses with frontal surface scratches due to normal wear for one (1) year from the date of purchase. If a coating was purchased (anti-reflective, anti-scratch, anti-fog, or a mirror) the warranty is extended to a one (1) time redo within two (2) years from the date of purchase. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

DOCTOR REMAKE

A one (1) time doctor remake on Wiley X, Inc. made prescription lenses is permitted within a forty-five (45) day period from the original order date. The dealer will be charged in full for the remake then will subsequently receive a credit when the original prescription glasses are returned to the Wiley X, Inc. Prescription Department. Original orders must be returned within thirty (30) days of the remake order. All doctor remakes will be billed a \$10.00 shipping fee.

RX CHANGES/CANCELED ORDERS

If the lenses are not in process, prescription changes and order cancellations will be accepted at no charge. Any requests made after a customer order has been put in process will be charged at 50% of the dealer cost.

NON-ADAPTS

Dealer will have forty-five (45) days to return a prescription order that is deemed "non-adapt" by their customer. In this instance, the dealer will receive a full refund on the frame and 50% credit on the RX lenses and coatings. No credit or refund will be issued for non-adapts submitted after forty-five (45) days.

LAB ERRORS

In the event of lab error, prescription lenses will be replaced at no cost within a forty-five (45) day period of the original order date. Redo will be credited upon receipt of original frame and lenses.

PATIENT OWNED FRAME (POF)

Wiley X, Inc. accepts POF orders, however, frames must pass Wiley X, Inc. quality inspection. Prior to sending the POF, please verify that the prescription and the measurements are within the tolerance of the Wiley X, Inc. RX Frame Parameters. Please remove any existing prescription or non-prescription lenses from the frame prior to shipping. Wiley X, Inc. will not provide any warranty or be held responsible for any lost or damaged lenses on previous prescriptions sent in with a frame.

WILEY X, USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA
TEL: 1.800.776.7842 // FAX: +1.925.455.8860
WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK
TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40
WILEYX.EU



WILEY X

WILEY X, USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA

TEL: 1.800.776.7842 // FAX: +1.925.455.8860

WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK

TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40

WILEYX.EU

OUT